



Shri Sachhidanand Shikshan Sanstha's

TAYWADE COLLEGE

(Arts, Commerce, Science) (U.G. & P.G.)

Mahadula - Koradi, Tah. Kamptee Dist. - Nagpur

NAAC ACCREDITED 'B' GRADE
Recognised Centre for
Higher Learning and Research

Principal
Dr. Sharyou B. Taywade
9822716608


Chairman
Dr. Babanrao Taywade
9422145290

NAAC 2021/ Metrics Level Deviations/Cr7-2

Date:- 09/05/2022

Criteria 7.1.4:	Water conservation facilities available in the Institution. 1. Rain water harvesting 2. Borewell /Open well recharge 3. Construction of tanks and bunds 4. Waste water recycling 5. Maintenance of water bodies and distribution system in the campus
Findings of DVV	1) Regional language not be consider provide documents in english translate. 2) kindly provide Bills for the purchase of equipments for the facilities.
Response/ Clarification	1) supporting documents including English translation of documents in regional language (Appendix-I) 2) Invoice/ Bills for the purchase of equipment's for the facilities created under this metric are attached. (Appendix-II)


IQAC Coordinator
TAYWADE COLLEGE
Mahadula, Koradi, Dist. Nagpur


Principal
Taywade College
MAHADULA KORADI DIST NAGPUR

Appendix-I

Documents showing conservation facilities
available in the Institution

Principal

Dr. Sharyou B. Taywade

9822716608

Chairman

Dr. Babanrao Taywade

9422145290

RAIN WATER HARVESTING

The water from top the roofs & the rain water is collected through proper network of pipes there is well connected pipes network delivery system, & these pipes carries water & open in to storage water tank.

Rain water harvesting provides an independent water supply during regional water restriction.

These collected water used for several purpose,mainly for the gardening, the institution adoptes several methods to minimize the waste water

fig:- pipes joined



fig:- water tank



Principal

Dr. Sharyou B. Taywade

9822716608

Chairman

Dr. Babanrao Taywade

9422145290

The rain water which is collected from top roof ,it is restricted in a particular area, thus if water

Is forcefully come in water tank , & filter water can passes in to a well .may cause water levels raise , more water available for gardening & other purpose

Fig :- Water collection from top roof



Fig:- Rain water Harvesting



Water Bodies :







Shri Sachhidanand Shikshan Sanstha's

TAYWADE COLLEGE

(Arts, Commerce, Science) (U.G. & P.G.)

Mahadula - Koradi, Tah. Kamptee Dist. - Nagpur

NAAC ACCREDITED 'B' GRADE
Recognised Centre for
Higher Learning and Research

Principal
Dr. Sharyou B. Taywade
9822716608

Chairman
Dr. Babanrao Taywade
9422145290

Ref. No.: TCMK/2977/2021

Date: 24/11/2021

प्रति,
प्रभारी अधिकारी,
प्रादेशिक आरोग्य प्रयोगशाळा,
नागपूर

विषय :- पाणी नमुण्यांची अणुजीवीय/रासायनिक तपासणी करून मिळणेबाबत.

महोदय,

आमच्या महाविद्यालयातील पाणी नमुण्यांची अणुजीवीय/रासायनिक तपासणी करावयाची आहे, त्यासाठी लागणारी फी भरण्यास तयार आहे.

पाणी नमुण्यांची माहिती खालीलप्रमाणे आहे.

संस्थेचे व महाविद्यालयाचे पुर्ण नाव व पत्ता -

श्री सच्चिदानंद शिक्षण संस्था द्वारा संचलित तायवाडे महाविद्यालय, महादुला-कोराडी,
तह. कामठी, जि. नागपूर

पाणी नमुण्यांचे स्रोत :- नमुना १ : महाविद्यालयीन फिल्टर मशिनचे पाणी

नमुना २ : महाविद्यालयीन वस्तीगृहातील फिल्टर मशिनचे पाणी

नमुना ३ : महाविद्यालयीन कॅन्टीनमधील फिल्टर मशीनचे पाणी

पाणी नमुना गोळा करण्याचा दिनांक :-

धन्यवाद!

25/11/21
जावक लिपिक
प्रादेशिक आरोग्य प्रयोगशाळा
एन.ए.डी.टी. सरोवर,
नागपूर-४४० ०२९



(डॉ. सौ. शरयू ब. तायवाडे)

Principal
Taywade College,

Mahadula, Koradi, Dist. Nagpur;

तायवाडे महाविद्यालय,
महादुला, कोराडी, जि. नागपूर

(वि. वि., नमुना क्र. १) (वि. नि., नमुना क्र. १५ महा)

सर्वसा. ११३ म. व इ.
Gen. 113 m. & e.

मूळ प्रत

[अहस्तांतरणीय]

ORIGINAL COPY

(NOT TRANSFERABLE)

मालिका-‘स’

शासनास केलेल्या प्रदानाची पावती

RECEIPT FOR PAYMENT TO GOVERNMENT

ठिकाण/Place नागपूर दिनांक/Date 25/11/20 २० /20

Received from Taywade College Nagpur यांच्याकडून

रु./Rs. 34073-1020 (रु. अक्षरी/Rs. in words मत्त हजार वीस)

On account of पाणी नमुना शुल्क याकरिता मिळाले.

रोखपाल किंवा लेखापाल
Cashier or Accountant

सही व पदनाम
Signature and Designation
Public Health Laboratory
MAG:UR-440 020

महाराष्ट्र राज्य
सार्वजनिक आरोग्य सेवा

प्रादेशिक आरोग्य प्रयोगशाळा नागपूर दूरध्वनी/फॅक्स क्र. 0712-2546014

पाण्याच्या नमुन्याचा सूक्ष्मजीवीय अहवाल

पाठविणाऱ्यांचे नाव व पत्ता : Principal, Tayade College, Maharashtra

पाठविणाऱ्यांचे पत्र क्रमांक व दिनांक : 28751/53 01/12/24

प्रयोगशाळा संदर्भ क्रमांक : 28751-53

नमुना घेतल्याचा दिनांक : 25/11/24

नमुना पोहोचल्याचा दिनांक : —

परीक्षण सुरु केल्याचा दिनांक : —

अ.क्र.	नमुन्याचे प्रकार	परीक्षणाचे निष्कर्ष		इतर अभिप्राय
		प्रति १०० मि.ली. नमुन्यातील सूक्ष्मजंतूंची संख्या		
		कोलीफॉर्म्स	थर्मोटॉलरंट जीवाणू	
१) मिष्टान्न - मधोमधाल्यातील		००	—	पिण्यास योग्य
२) च - क्लोरोफॉर्म		००	—	
३) च - क्लोरोफॉर्म		००	—	

अभिप्राय :


पिण्यास अयोग्य पाण्यावर योग्य प्रमाणात क्लोरीनची प्रक्रिया केल्यानंतर व सूक्ष्मजीवीय पुर्णतपासणीनंतर पिण्यास योग्य असल्याची खात्री झाल्यानंतर ते पाणी पिण्यासाठी वापरता येईल.

अहवाल क्रमांक : प्राआप्रशा/१/28751-53 4923 दिनांक : 01/12/24

प्रत सादर

१) जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, जिल्हा नागपूर

२) शल्यचिकित्सक, जिल्हा रुग्णालय, जिल्हा नागपूर.


प्रभारी अधिकारी
प्रादेशिक आरोग्य प्रयोगशाळा
नागपूर



Shri Sachhidanand Shikshan Sanstha's

TAYWADE COLLEGE

(Arts, Commerce, Science) (U.G. & P.G.)

Mahadula - Koradi, Tah. Kamptee Dist. - Nagpur

NAAC ACCREDITED 'B' GRADE
Recognised Centre for
Higher Learning and Research

Principal
Dr. Sharayu B. Taywade
9822716608

Chairman
Dr. Babanrao Taywade
9422145290

Ref. No. :

Date : 10-03-21

Water Analysis Report (Chemical and Microbiological analysis) (Session 2020-21)

Date of Analysis: 03-03-21

Temperature: 32°C

S. No	Name of Test	Sample 1	Sample 2	Sample 3	Sample 4
1.	Colour	Clear	Clear	Clear	Clear
2.	pH	6.67	6.69	6.66	6.67
3.	Conductivity	0.55	0.54	0.58	0.57
4.	Hardness (ppm)	145	141	143	141
5.	Total Coliform/ 100ml	Absent	Absent	Absent	Absent
6.	E Coli/ 100ml	Absent	Absent	Absent	Absent

Sample description:

Sample 1: Water Cooler 1 Ground Floor

Sample 2: Water Cooler Boys room

Sample 3: Water Cooler exam room

Sample 4: Water Cooler 2 Ground Floor

Principal

Dr. Sharayu B. Taywade

Taywade College, Mahadula Koradi

Taywade College
MAHADULA KORADI DIST. NAGPUR

• Phone : 07109 - 262204 • Fax : 07109-262525 • Website : acsckoradi.com • Email : acscollegekoradi@gmail.com

Formerly Known as Arts, Commerce & Science College, Koradi



Shri Sachhidanand Shikshan Sanstha's

TAYWADE COLLEGE

(Arts, Commerce, Science) (U.G. & P.G.)
Mahadula - Koradi, Tah. Kamptee Dist. - Nagpur

NAAC ACCREDITED 'B' GRADE
Recognised Centre for
Higher Learning and Research

Principal
Dr. Sharyou B. Taywade
9822716608

Chairman
Dr. Babanrao Taywade
9422145290

Ref. No. :

Date : 18/03/21

Certificate

This is to certify that the overhead tank over building of Taywade College, Mahadula-Koradi, Dist- Nagpur and the water tank of drinking water cooler is cleaned every three months by M/S. Dattatraya Marketing and refrigeration, Nagpur for academic session 2020-21.

An agreement for that effect is made for three years.

TAYWADE
COLLEGE

Principal

S.B. Taywade

Taywade College, Koradi

Principal
Taywade College
MAHADULA KORADI DIST. NAGPUR



Shri Sachhidanand Shikshan Sanstha's

TAYWADE COLLEGE

(Arts, Commerce, Science) (U.G. & P.G.)
Mahadula - Koradi, Tah. Kamptee Dist. - Nagpur

NAAC ACCREDITED 'B' GRADE
Recognised Centre for
Higher Learning and Research

Principal
Dr. Sharyou B. Taywade
9822716608

Chairman
Dr. Babanrao Taywade
9422145290

Ref. No. :

Date :

CERTIFICATE

This is to certify that the overhead water tanks of our college are regularly cleaned after every 3 months by third party water tank cleaner M/s L. Khadgi, Panchpaoli Golibar Chaouk, Nagpur 440018.


Principal
Taywade College,
Mahadula, Koradi (Dist. Nagpur)

TAYWADE COLLEGE

tankclean

L. KHADGI

Clean tanks cleaner water

(We Clean All Types of Water Tanks)

Panchpaoli Gollbar Chowk, Nagpur. 440018

Mob. 9373723989, 8208906497.

No. 157

Date:- 23 03 2021

M/s. Taywade College, Kerati

SR.No.	PARTICULARS	QTY.	AMOUNT	
			RS.	PS.
01	Overhead water tank cleaning	01	3800	00
TOTAL AMOUNT			3800	00

For


L. KHADGI

Appendix-II

English Translation of the document in regional language

True English Translation

To,

The Officer In-charge,

Regional Health Laboratory,

Nagpur

Subject : Regarding Microbiological/Chemical testing of water sample.

Sir,

We are in need to have microbiological/chemical testing of water sample of our institute.

We are also ready to pay the required fees for the same.

Details of water sample is as follows:

Name & Address of the Institute :

Shri Sachhidanand Shikshan Sanstha's

Taywade College, Mahadula, Korad, Tah. Kamptee, Dist. Nagpur

Source of water sample :

Sample 1 : Water from filter machine of the Institute.

Sample 2 : Water from filter machine of the Hostle Building.


Sample 3 : Water from filter machine of the Canteen.

Date of water sample collection :

Thank you,

-Sd-

Principal
Taywade College,
Mahadula, Koradi, Dist. Nagpur


Principal
Taywade College
MAHADULA KORADI DIST NAGPUR

State of Maharashtra

Public health services

Regional Health Laboratory Nagpur Telephone / Fax No.0712.2546014

Microbiological report of water sample

Name and address of the sender : Principal, Taywade College, Mahadula-Koradi

Sender's letter number and Date : 2777/24/11/2021

Laboratory reference Number : 2857-53

Sample Date : 25/11/2021

Sample Delivery Date : 25/11/2021

Test start Date : 25/11/2021


S.No.	Sample Type	Test Conclusions		Other feedback
		Per 100 ml. Number of microorganisms in the sample		
		Coliforms	Thermotolar bacteria	
1. Filter	College	00	-	Drinkable
2. Filter	In the hostel	00	-	
3. Filter	Canteen	00	-	
Feedback: The potable water can be used for drinking water after proper processing of chlorine and after thorough microscopic inspection.				
Report No .: Praaprasha / 1 / 28751.53 4923 dated 01/12/21				

Submit a copy

1. District Health Officer, Zilla Parishad, District Nagpur
2. Surgeon, District Hospital, District Nagpur

-Sd-

Officer in charge
Regional Health Laboratory
Nagpur


Principal
Taywade College
MAHADULA KORADI DIST NAGPUR

Appendix-III

Bills for purchase of equipment for the facility

Tax Invoice

(ORIGINAL FOR RECIPIENT)

BARATH MARKETINGS 20-21
SHOP NO. 5, VAISHNAVI BHAVAN
FAWARA SQUIRE,
GANDHIBAGH, NAGPUR
GSTIN/UIN: 27AEFPG5311P1ZD
State Name : Maharashtra, Code : 27
E-Mail : barathdec2002@gmail.com
Buyer

M/s TAYWADE COLLEGE
NAGPUR

State Name : Maharashtra, Code : 27

Invoice No. 462/20/21	Dated 28-Sep-2020
Delivery Note	Mode/Terms of Payment
Supplier's Ref. 462/20/21	Other Reference(s)
Buyer's Order No.	Dated
Despatch Document No.	Delivery Note Date
Despatched through	Destination
Terms of Delivery	

SI No	Description of Goods	HSN/SAC	Quantity	Rate	per	Disc. %	Amount
1	5HP-AOS-5050H 50X50MM 3PH OWS 3M	8413	1.000 nos	25,446.43	nos		25,446.43
	OUTPUT CGST @ 6%			6 %			1,526.79
	OUTPUT SGST @ 6%			6 %			1,526.79
	Less : ROUND OFF						(-)0.01
	Total		1.000 nos				₹ 28,500.00

Amount Chargeable (in words)

INR Twenty Eight Thousand Five Hundred Only

E. & O.E

HSN/SAC	Taxable Value	Central Tax Rate	Central Tax Amount	State Tax Rate	State Tax Amount	Total Tax Amount
8413	25,446.43	6%	1,526.79	6%	1,526.79	3,053.58
Total	25,446.43		1,526.79		1,526.79	3,053.58

Tax Amount (in words) : INR Three Thousand Fifty Three and Fifty Eight paise Only

502608 DATE 30/09/20

28500/-

Declaration
We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

Company's Bank Details

Bank Name : KARUR VYSYA BANK

A/c No. : 2114135000000249

Branch & IFS Code : DALMIYA SADAN C.A. ROAD, NAGPUR & KVBL0002114

for BARATH MARKETINGS 20-21

Authorised Signatory

This is a Computer Generated Invoice